
TKN - KNURLED WELD STUDS - TECHNICAL DETAILS

TKN weld studs are available in mild steel and stainless steel materials.

TKN studs are used to install insulation materials. After the stud is welded in place, the insulation is impaled over the stud and then the drive plate is installed onto the stud with a hammer. The drive plate is now locked onto the stud.

For application, dimensional and in stock assistance, please contact Sunbelt Stud Welding.



		Stud	Specificat	ions	ons Standard Accesso		ories		
Base Diameter	Knurled Diameter	Groove Length	Min. Length	Flash Dime	ensions	Ferrule	Foot	Grip	Chuck
D	С	А	L	E	F				
0.312	0.327	0.375	0.875	0.438	0.109	F031-F	B-IN	GN-031	CN-031

To order or specify give: Stud Code, Dimensions D x L, Material and Quantity Example: TKN, .312 x 1, (BW), Stainless, 5000 pcs. Specify (L) Length on a Before Weld basis by indicating "BW" or on an After Weld basis by indicating "AW."

Recommended Hardware	Part Number
Drive Plate - Mild Steel	TKN-001
Drive Plate - Stainless Steel	TKN-002

To order or specify give: Part Number and Quantity Example: TKN-002, 500 pcs.

See Accessories for accessory detail and Ferrule Specifications for ferrule options.

See Arc Stud Welding – General Information and Technical Details for industry specifications, thread options, Before Weld (BW) length, flux, raw material details, plating options, annealing, load strengths and shipping weights.

